

WESTCO

BY MK BATTERY



Sealed AGM Powersport Series



The Sealed Battery Specialists



These sealed batteries are factory activated and ready to install. Multiple features like Absorbed Glass Mat (AGM) technology and valve regulation showcase a completely sealed and maintenance-free battery that provides the power needed for most powersport applications: ATV's, motorcycles, snowmobiles, and watercraft.

POWERSPORT APPLICATIONS

Specifications				Cross Reference	Dimensions – Inches (mm)			Polarity	
Model	Voltage	Ah	CCA		L	W	H		
12VX4L-B	12	4	45	YT4L-BS	4 ⁷ / ₁₆ (113)	2 ³ / ₄ (70)	3 ¹ / ₂ (88)	-	+
12VX5L-B	12	5	70	YTX5L-BS	4 ⁷ / ₁₆ (113)	2 ³ / ₄ (70)	4 ¹ / ₄ (107)	-	+
12V7L-B	12	7	85	YTX7L-BS	4 ⁷ / ₁₆ (113)	2 ³ / ₄ (70)	5 ⁵ / ₁₆ (132)	-	+
12V7B-B	12	7	85	YT7B-BS	5 ⁷ / ₈ (150)	2 ⁹ / ₁₆ (66)	3 ⁵ / ₈ (92)	+	-
12V7A-BS	12	7	90	YTX7A-BS	5 ⁷ / ₈ (150)	3 ⁷ / ₁₆ (87)	3 ³ / ₄ (95)	+	-
12VZ7S	12	7	130	YTZ7S	4 ⁷ / ₁₆ (113)	2 ³ / ₄ (70)	4 ³ / ₁₆ (106)	-	+
12V9B-4	12	8	115	YT9B-4	5 ⁷ / ₈ (150)	2 ¹¹ / ₁₆ (69)	4 ¹ / ₈ (105)	+	-
12V9-B	12	9	120	YTX9-BS	5 ⁷ / ₈ (150)	3 ⁷ / ₁₆ (87)	4 ¹ / ₈ (105)	+	-
12VZ10S	12	9	190	YTZ10S	5 ¹⁵ / ₁₆ (151)	3 ⁷ / ₁₆ (87)	3 ⁵ / ₈ (92)	+	-
12V12B-4	12	10	125	YT12B-BS	5 ⁷ / ₈ (150)	2 ¹¹ / ₁₆ (69)	5 ¹ / ₈ (130)	+	-
12V12-B	12	12	180	YTX12-BS	5 ⁷ / ₈ (150)	3 ⁷ / ₁₆ (88)	5 ¹ / ₈ (130)	+	-
12V12A-BS	12	10	175	YT12A-BS/YTZ12S	5 ¹⁵ / ₁₆ (151)	3 ⁷ / ₁₆ (87)	4 ³ / ₁₆ (106)	+	-
12V14B-4	12	12	135	YT14B-4	5 ⁷ / ₈ (150)	2 ¹¹ / ₁₆ (69)	5 ⁵ / ₈ (144)	+	-
12V13L	12	13	200	PC545/YTX15L-BS	6 ⁷ / ₈ (175)	3 ⁷ / ₁₆ (87)	5 ¹ / ₈ (130)	-	+
12V14-B	12	14	200	YTX14-BS	5 ⁷ / ₈ (150)	3 ⁷ / ₁₆ (87)	5 ³ / ₄ (148)	+	-
12V14L-B	12	14	200	YB14L-A2/YTX14AHL-BS	5 ¹ / ₄ (134)	3 ¹ / ₂ (89)	6 ¹ / ₂ (166)	-	+
12V14-A2	12	14	210	YB14-A2,YB14-B2,YTX14AH-BS	5 ¹ / ₄ (134)	3 ¹ / ₂ (89)	6 ¹ / ₂ (166)	+	-
12V16-B	12	14	230	YTX16-BS1	5 ⁷ / ₈ (150)	3 ⁷ / ₁₆ (88)	6 ³ / ₈ (162)	+	-
12V16-A2	12	14	230	YTX16-BS	5 ⁷ / ₈ (150)	3 ⁷ / ₁₆ (88)	6 ³ / ₈ (162)	+	-
12V16CLB	12	19	260	YB16CL-B/YTX20HL-PW	6 ⁷ / ₈ (175)	3 ¹⁵ / ₁₆ (101)	6 ¹³ / ₁₆ (174)	-	+
12V20P	12	20	275	BMW 19A.H./51913, 51814	7 (178)	3 (76)	6 ¹ / ₂ (165)	-	+
12V20	12	18	300	YTX20-BS	6 ⁷ / ₈ (175)	3 ⁷ / ₁₆ (87)	6 ¹ / ₁₆ (154)	+	-
12V20L	12	18	300	YTX20L-BS/YTX20HL-BS	6 ⁷ / ₈ (175)	3 ⁷ / ₁₆ (87)	6 ¹ / ₁₆ (154)	-	+
12V22	12	22	300	Y50-N18L-A/A3/YTX24HL	8 ¹ / ₁₆ (205)	3 ⁹ / ₁₆ (90)	6 ³ / ₈ (162)	-	+
12V30	12	30	350	BMW 25 A.H./53030	6 ¹ / ₂ (165)	4 ⁷ / ₈ (124)	6 ⁷ / ₈ (175)	-	+
12VX30L-B	12	30	350	YIX30L-BS	6 ¹ / ₂ (166)	4 ¹⁵ / ₁₆ (125)	6 ⁷ / ₈ (175)	-	+
6V13	6	13	N/A	BMW	4 ⁵ / ₁₆ (109)	2 ³ / ₄ (70)	5 ¹ / ₂ (140)	-	+



V-TWIN APPLICATIONS

Specifications				Cross Reference	Dimensions – Inches (mm)			Polarity	
Model	Voltage	Ah	CCA		L	W	H		
SVR12	12	12	180	YTX12-BS	5 ⁷ / ₈ (150)	3 ⁷ / ₁₆ (88)	5 ¹ / ₈ (130)	+	-
SVR14	12	14	220	CUSTOM/YTX14-BS	5 ⁷ / ₈ (150)	3 ⁷ / ₁₆ (88)	5 ³ / ₄ (145)	+	-
SVR15L	12	14	220	YB14L-A2/YTX14AHL-BS	5 ¹ / ₄ (134)	3 ¹ / ₂ (90)	6 ¹ / ₁₆ (166)	-	+
SVR20L	12	18	310	YTX20L-BS/YTX20HL-BS	6 ⁷ / ₈ (177)	3 ⁷ / ₁₆ (88)	6 ¹ / ₈ (155)	-	+
SVR16L	12	19	325	YB16HL-A	6 ⁷ / ₈ (175)	4 (100)	6 ¹ / ₈ (155)	-	+
SVR20	12	19	325	YB16-B	6 ⁷ / ₈ (175)	4 (100)	6 ¹ / ₈ (155)	+	-
SVR18	12	20	340	Y50-N18L-A/YTX24HL	8 ⁷ / ₈ (206)	3 ⁹ / ₁₆ (91)	6 ³ / ₈ (163)	-	+
SVR30	12	28	400	YIX30L-BS	6 ⁷ / ₈ (168)	5 ⁵ / ₁₆ (131)	6 ⁷ / ₈ (176)	-	+

Automatic Multi-Stage Chargers and Maintainers



OptiMate 3+ Battery Charger Unique Desulfation Circuit

The Optimate battery charger is completely automatic, safe and simple to use. The 5-stage program features not only constant current and constant voltage charging to completely and correctly charge most battery types, but it also has a unique desulfation circuit that recovers deeply discharged or sulfated batteries. The Optimate is designed to be left on indefinitely during periods of battery inactivity without any worry of overcharging. The Optimate is reverse polarity protected and spark proof and features 5 stages. The Optimate is the #1 charger sold in Europe and is used by major vehicle manufactures such as Honda, Yamaha, Kawasaki, and Suzuki.

Part Number: LS12/0.6

Applications

Designed for charging and maintaining motorcycle, watercraft, ATV, and smaller battery types including gel, agm, and conventional wet from 4 ah to 32 ah.



AccuMate Battery Charger 6 and 12 Volt Capability

The Accumate battery charger is completely automatic, safe and simple to use. The advanced 3-stage charging program features both constant current and constant voltage charging to completely and correctly charge a variety of battery types. The Accumate will also properly maintain a battery at it's correct voltage during storage and long periods of non-use without overcharging and gassing. The Accumate is reverse polarity protected and spark proof, and features five separate LED lights, three of which indicate a battery's charge status. For charging and for maintaining batteries up to 55ah. Comes with ring and clip style cables with a quick disconnect.

Part Number: LS6/1.2

Applications


Designed for charging and maintaining motorcycle, watercraft, ATV, and smaller battery types from 4ah. Also designed to maintain automotive batteries, including older antique vehicles that may have 6 volt electrical systems.

CHARGERS AND ACCESSORIES

Model	Description
LS6/1.2	Automatic 6 and 12 volt charger / maintainer
LS12/0.6	Automatic 12 volt charger / maintainer with desulfation circuit
LS12/1.2 RING	Ring accessory with quick disconnect
LS12/1.2 PLUG	Plug accessory for DIN 12 volt sockets such as on BMW and Triumph motorcycles
LS12/1.2 BRACKET	Mounting bracket for both Accumates and Optimates

WORLDWIDE DISTRIBUTION CENTERS

USA • Europe • Asia Pacific



YOUR PARTNER IN POWER

MK Battery is one of the largest sealed lead acid battery suppliers worldwide due to our total commitment to the following core principles:

MK Battery supplies only the highest quality batteries (gel, AGM and flooded deep cycle) that are specifically designed for our customers' many, varied applications including broadband communications, UPS (uninterruptible power supplies), power wheelchairs, telephony (valve-regulated stationary), solar, marine and electronics.

MK Battery ships fresh inventory fast, often within 24 hours, from a stock of more than 100,000 batteries in multiple distribution centers throughout the world and assists our customers with proper spent battery disposal through EPA permitted smelters. (Please note that violation of hazardous waste disposal laws can place heavy penalties on offenders).

MK Battery is genuinely concerned for our customers' well-being as a long-term partner... not just a supplier. MK Battery listens to our customers and delivers what you want, when you need it.

Products
Service
Customer Care



MK Battery: 1631 South Sinclair Street • Anaheim, California 92806
Toll Free 800-372-9253 • Tel 714-937-1033 • Fax 714-937-0818 • Website: www.mkbattery.com • Email: sales@mkbattery.com